


INVITATION TO BID STATE OF LOUISIANA DIVISION OF ADMINISTRATION OFFICE OF STATE PURCHASING		BIDS WILL BE PUBLICLY OPENED: <div style="font-size: 1.2em; font-weight: bold;">DEC 06, 2005 10:00 AM</div>																										
<div style="border: 1px solid black; padding: 5px;"> <p>=====> VENDOR NO. :</p> <p>SOLICITATION : 2203989</p> <p>FILE NO. : M10001Q</p> <p>OPENING DATE : 12/06/05</p> </div> <div style="border: 1px solid black; height: 80px; margin-top: 10px; position: relative;"> <div style="position: absolute; top: 5px; left: 5px;"> <p>=====> VENDOR NAME AND ADDRESS</p> </div> </div> <div style="margin-top: 20px; text-align: center; font-weight: bold;"> FILL IN VENDOR NUMBER (FEIN), NAME AND ADDRESS ABOVE, BEFORE SUBMITTING BID. </div>		PURCHASING AGENCY NO. : 107001 <div style="font-weight: bold;">SEE NO. 8 BELOW. RETURN BID TO</div> <div style="text-align: right; margin-right: 20px;"> 10:00 AM M10001Q </div> <div style="margin-top: 10px;"> 2203989 12/06/05 </div> <div style="margin-top: 10px;"> OFFICE OF STATE PURCHASING OFFICE OF STATE PURCHASING POST OFFICE BOX 94095 BATON ROUGE, LA 70804-9095 </div> <div style="margin-top: 20px;"> <table style="width: 100%;"> <tr> <td style="width: 60%;">BUYER</td> <td style="width: 40%;">: CONNIE SPANN</td> </tr> <tr> <td>BUYER PHONE</td> <td>: (225) 342-5258</td> </tr> <tr> <td>DATE ISSUED</td> <td>: 11/08/05</td> </tr> <tr> <td>REQ. AGENCY</td> <td>: 139001</td> </tr> <tr> <td colspan="2" style="text-align: center;">SECRETARY OF STATE</td> </tr> <tr> <td>AGENCY REQ. NO.</td> <td>: 2838</td> </tr> <tr> <td>ISIS REQ. NO.</td> <td>: 1278643</td> </tr> <tr> <td>VENDOR PHONE</td> <td>:</td> </tr> <tr> <td>FISCAL YEAR</td> <td>: 06</td> </tr> <tr> <td>CLASS/SUBCLASS</td> <td>: 99080</td> </tr> <tr> <td>SCHEDULED BEGIN DATE</td> <td>: 00/00/00</td> </tr> <tr> <td>SCHEDULED END DATE</td> <td>: 00/00/00</td> </tr> <tr> <td>T-NUMBER</td> <td>:</td> </tr> </table> </div>	BUYER	: CONNIE SPANN	BUYER PHONE	: (225) 342-5258	DATE ISSUED	: 11/08/05	REQ. AGENCY	: 139001	SECRETARY OF STATE		AGENCY REQ. NO.	: 2838	ISIS REQ. NO.	: 1278643	VENDOR PHONE	:	FISCAL YEAR	: 06	CLASS/SUBCLASS	: 99080	SCHEDULED BEGIN DATE	: 00/00/00	SCHEDULED END DATE	: 00/00/00	T-NUMBER	:
BUYER	: CONNIE SPANN																											
BUYER PHONE	: (225) 342-5258																											
DATE ISSUED	: 11/08/05																											
REQ. AGENCY	: 139001																											
SECRETARY OF STATE																												
AGENCY REQ. NO.	: 2838																											
ISIS REQ. NO.	: 1278643																											
VENDOR PHONE	:																											
FISCAL YEAR	: 06																											
CLASS/SUBCLASS	: 99080																											
SCHEDULED BEGIN DATE	: 00/00/00																											
SCHEDULED END DATE	: 00/00/00																											
T-NUMBER	:																											
<i>SECURITY SYSTEM LEASING AND MONTHLY MAINTENANCE - STATE ARCHIVES BLDG.</i>																												
TO BE COMPLETED BY VENDOR																												
1. _____ PLEASE REMOVE FROM THIS COMMODITY CODE. 2. _____ DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER RECEIPT OF ORDER. 3. _____ % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN THIRTY (30) DAYS. CASH DISCOUNTS FOR LESS THAN 30 DAYS OR LESS THAN 1% WILL BE ACCEPTED, BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. ON INDEFINITE QUANTITY TERM CONTRACTS, CASH DISCOUNTS WILL BE ACCEPTED AND TAKEN BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. 4. _____ BID BOND ATTACHED, _____ CERTIFIED CHECK ATTACHED, _____ OTHER, IF REQUIRED. 5. _____ BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON RESULTING ORDER OR CONTRACT).																												
INSTRUCTIONS TO BIDDERS																												
1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS. 2. ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATION TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER. 3. THIS BID IS TO BE MANUALLY SIGNED IN INK. FOLD HERE--> 4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER. 5. AMOUNT OF BID BOND REQUIRED: _____ N/A _____ . 6. AMOUNT OF PERFORMANCE BOND, IF REQUIRED. _____ OR _____ 0% _____ OF BID. 7. DESIRED DELIVERY: _____ 010DAYS ARO 8. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHOULD BE RETURNED IN AN ENVELOPE OR PACKAGE CLEARLY MARKED WITH THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE SPECIAL ENVELOPE IF FURNISHED FOR THAT PURPOSE. 9. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION. 10. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO.30). ALL BID INFORMATION SHALL BE MADE WITH INK OR TYPEWRITTEN.																												
VENDOR PHONE NUMBER: FAX NUMBER:	TITLE	DATE																										
SIGNATURE OF AUTHORIZED BIDDER - SEE NO. 30, PAGE 3. (MUST BE SIGNED)	NAME OF BIDDER (TYPED OR PRINTED)																											

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:	PAGE 2
<p>11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.</p> <p>12. CONFERENCE: NA NA NA</p> <p>13. BID FORMS. ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED: A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND; B. BID FILLED OUT IN PENCIL; AND C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.</p> <p>BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT BID.</p> <p>14. STANDARDS OF QUALITY. ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.</p> <p>15. DESCRIPTIVE INFORMATION. BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.</p> <p>16. BID OPENING. BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.</p> <p>17. AWARDS. THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.</p> <p>18. PRICES . UNLESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.</p> <p>19. DELIVERIES. BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.</p> <p>20. TAXES. VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.</p>			

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:	PAGE 3
<p>21. NEW PRODUCTS.</p> <p>UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.</p> <p>22. CONTRACT RENEWALS.</p> <p>UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.</p> <p>23. CONTRACT CANCELLATION.</p> <p>THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; (3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (6) ANY OTHER BREACH OF CONTRACT.</p> <p>24. DEFAULT OF CONTRACTOR.</p> <p>FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT. WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.</p> <p>25. ORDER OF PRIORITY.</p> <p>IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.</p> <p>26. APPLICABLE LAW.</p> <p>ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.</p> <p>27. COMPLIANCE WITH CIVIL RIGHTS LAWS.</p> <p>BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.</p> <p>28. SPECIAL ACCOMMODATION.</p> <p>ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.</p> <p>29. INDEMNITY.</p> <p>CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.</p> <p>30. SIGNATURE AUTHORITY.</p> <p>IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:</p> <ol style="list-style-type: none"> 1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR 2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR 3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY. 			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 T-NUMBER :		BIDDER:	PAGE 4
<p>1 BID DELIVERY INSTRUCTIONS FOR STATE PURCHASING:</p> <p>BIDDERS ARE HEREBY ADVISED THAT THE U.S. POSTAL SERVICE DOES NOT MAKE DELIVERIES TO OUR PHYSICAL LOCATION.</p> <p>BIDS MAY BE MAILED THROUGH THE U.S. POSTAL SERVICE TO OUR BOX AT: OFFICE OF STATE PURCHASING P O BOX 94095 BATON ROUGE LA 70804-9095</p> <p>BIDS MAY BE DELIVERED BY HAND OR COURIER SERVICE TO OUR PHYSICAL LOCATION AS FOLLOWS:</p> <p>OFFICE OF STATE PURCHASING CLAIBORNE BUILDING, SUITE 2-160 1201 NORTH THIRD STREET BATON ROUGE, LA 70802</p> <p>BIDDER IS SOLELY RESPONSIBLE FOR ENSURING THAT ITS COURIER SERVICE PROVIDER MAKES INSIDE DELIVERIES TO OUR PHYSICAL LOCATION. THE OFFICE OF STATE PURCHASING IS NOT RESPONSIBLE FOR ANY DELAYS CAUSED BY THE BIDDER'S CHOSEN MEANS OF BID DELIVERY.</p> <p>BIDDER IS SOLELY RESPONSIBLE FOR THE TIMELY DELIVERY OF ITS BID. FAILURE TO MEET THE BID OPENING DATE & TIME SHALL RESULT IN REJECTION OF THE BID.</p> <p>***** PUBLICIZING AWARDS. IN ACCORDANCE WITH L.A.C.34:I.535, UNSUCCESSFUL BIDDERS WILL BE NOTIFIED OF THE AWARD PROVIDED THAT THEY SUBMIT WITH THEIR BID A SELF-ADDRESSED STAMPED ENVELOPE REQUESTING THIS INFORMATION. *****</p> <p>**ATTENTION:**</p> <p>RECEIPT OF A SOLICITATION OR AWARD CANNOT BE RELIED UPON AS AN ASSURANCE OF RECEIVING FUTURE SOLICITATIONS. IN ORDER TO RECEIVE FUTURE SOLICITATIONS/AWARDS FROM THIS OFFICE, YOU MUST ENROLL IN THE PROPER CATEGORY ON LAPAC OR ON STATE PURCHASING'S AGPS BIDDERS LIST. ENROLLMENT IN LAPAC IS FREE AND PROVIDES EMAIL NOTIFICATION OF BID OPPORTUNITIES BASED UPON COMMODITIES THAT YOU SELECT.</p> <p>2 VENDOR'S FORMS. THE PURCHASE/RELEASE ORDER IS THE ONLY BINDING DOCUMENT TO BE ISSUED AGAINST THIS CONTRACT. SIGNING OF VENDOR'S FORMS IS NOT ALLOWED.</p> <p>3 INVOICES. INVOICES WILL BE SUBMITTED BY THE CONTRACTOR TO THE USING AGENCY AND THE INVOICE SHALL REFER TO THE DELIVERY TICKET NUMBER, DELIVERY DATE, PURCHASE/RELEASE ORDER NUMBER. QUANTITY, UNIT PRICE, AND DELIVERY POINT. A SEPARATE INVOICE FOR EACH ORDER DELIVERED AND ACCEPTED SHALL BE SUBMITTED BY THE CONTRACTOR IN DUPLICATE DIRECTLY TO THE ACCOUNTING DEPARTMENT OF THE USING AGENCY. INVOICES SHALL SHOW</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:	PAGE 5
<p>THE AMOUNT OF ANY CASH DISCOUNT AND SHALL BE SUBMITTED ON THE CONTRACTOR'S OWN INVOICE FORM.</p> <p>4 COMPLIANCE WITH CIVIL RIGHTS LAWS. BY SUBMITTING AND SIGNING THIS SOLICITATION, THE BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND TITLE VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, THE FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VIETNAM ERA VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION, WITHOUT REGARD TO RACE, COLOR, RELIGION, SEX, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.</p> <p>5 CANCELLATION THE STATE OF LOUISIANA RESERVES THE RIGHT TO CANCEL THIS CONTRACT WITH THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>6 PROVIDE TWELVE FIXED NEW INTERIOR CAMERAS AND (FOUR) PTZ NEW EXTERIOR CAMERA INSTALLED IN COMPLETE COMPLIANCE WITH MANUFACTURERS RECOMENDATIONS. PROVIDE ONE DIGITAL RECORDER AND ONE VIEWING STATION IN COMPLETE COMPLIANCE WITH MANUFACTURERS RECOMMENDATIONS.</p> <p>ALL EQUIPMENT SHALL MEET OR EXCEED THE FOLLOWING SPECIFICATIONS.</p> <p>***INTERIOR WALL MOUNT CAMERAS (SIX (6) EACH) WITH FIXED LENS 1-WALL MOUNT WITH AUTO IRIS LENS CAMERA 4-CEILING MOUNT WITH FIXED LENS CAMERAS 1-CEILING MOUNT WITH AUTO IRIS LENS CAMERAS 4-EXTERIOR CORNER MOUNTED CAMERAS PAN/TILT LENS</p> <p>A: INDOOR/OUTDOOR INTEGRATED CCTV CAMERA AND ENCLOSURE SHALL CONSIST OF A TAMPER / IMPACT RESISTANT, DISCREET, ARCHITECTURALLY PLEASING SURFACE-MOUNT ENCLOSURE WITH INTEGRATED FIXED CAMERA, AND LOW TEMPERATURE RESISTOR ARRAY.</p> <p>B: THE TAMPER/IMPACT RESISTANT ENCLOSURE SHALL MEET OR EXCEED THE FOLLOWING DESIGN AND PERFORMANCE SPECIFICATIONS:</p> <ol style="list-style-type: none"> 1. THE ENCLOSURE SHALL BE EASY TO INSTALL, REQUIRING ONLY STANDARD TOOLS. 2. TAMPER RESISTANT, PIN-IN-HEX SCREWS AND TIGHTENING TOOL SHALL BE PROVIDED TO SECURE THE COVER ASSEMBLY TO THE ENCLOSURE BODY. 3. THE ENCLOSURE SHALL HAVE THE FOLLOWING EXTERNAL DIMENSIONS: 			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:	PAGE 6
<p>LENGTH SHALL NOT EXCEED 8 INCHES, AND ENCLOSURE DIAMETER SHALL NOT EXCEED 2.8 INCHES.</p> <p>4. THE ENCLOSURE SHALL BE PROVIDED WITH A SNAP-ON SUN SHIELD.</p> <p>5. THE ENCLOSURE SHALL BE PROVIDED WITH ADAPTER PLATE FOR EASY MOUNTED TO A STANDARD 4S OR DOUBLE-GANG ELCTRICAL BOX WITH MUD RING.</p> <p>6. THE ENCLOSURE SHALL BE IDEAL FOR MEDIUM SECURITY APPLICATIONS AND SHALL BE MANUFACTURED OF ALUMINUM AND HAVE WALL THICKNESS NOT LESS THAN .125 INCHES.</p> <p>7. THE VIEWING WINDOW SHALL BE NOT LESS THAN 1.2 INCHES IN DIAMETER</p> <p>8. THE WINDOW MATERIAL SHALL CONSIST OF OPTICALLY CLEAR, .097 INCH THICK POLYCARBONATE.</p> <p>9. THE ENCLOSURE SHALL BE NEMA 4 AND IP 66 RATED.</p> <p>10. THE ENCLOSURE, WITH CAMERA AND INTEGRATED LOW TEMPERATURE RESISTOR ARRAY, SHALL BE CAPABLE OF OPERATION DOWN TO -50 DEGREES F.</p> <p>11. THE ENCLOSURE, WITH CAMERA & INTEGRATED LOW TEMP. RESISTOR ARRAY, SHALL BE CAPABLE OF DE-ICING THE VIEWING SURFACE OF THE WINDOW DOWN TO -10 DEGREES F.</p> <p>12. THE ENCLOSURE SHALL HAVE AN OPTIONAL CONDUIT ADAPTER WHICH ALLOWS CONNECTION TO 3/4 INCH NPT THREADED CONDUIT FROM ANY OF FOUR SIDES.</p> <p>13. A 9-PIN PIGTAIL CONNECTOR SHALL EXTEND FROM THE BASE OF THE ENCLOSURE THAT ALLOWS EITHER 12VDC OR 24 VDC OPERATION. TWO 9-PIN PLUG-IN MATING CONNECTORS SHALL BE PROVIDED TO ALLOW EASY INSTALLATION FOR EITHER 12 VDC OR 24 VAC INPUT POWER.</p> <p>14. THE ENCLOSURE WHEN LOADED WITH CAMERA & INTEGRATED LOW TEMP. RESISTOR ARRAY, AT TEMPERATURES ABOVE 35 DEGREES F, SHALL CONSUME LESS THAN 2 WATTS OF POWER. AT TEMP. UNDER 35 DEGREES F SHALL CONSUME NO MORE THAN 13 WATTS OF POWER.</p> <p>15. THE ENCLOSURE, WHEN INSTALLED, SHALL HAVE NO EXPOSED CABLES.</p> <p>C. THE INTEGRATED CAMERA & LENS ASSEMBLY SHALL CONSIST OF A CHARGE COUPLED DEVICE (CCD) CAMERA WITH FIXED FOCAL OR VARI-FOCAL LENS THAT IS MOUNTED AS AN EASILY INSTALLABLE/REMOVABLE MODULE.</p> <p>1. THE CCD CAMERA SHALL CONSIST OF EITHER A 1/4 INCH OR 1/3 INCH FORMAT INTERLINE TRANSFER IMAGER MEETING NTSC (EIA) SIGNAL FORMAT SPECIFICATIONS.</p> <p>2. THE CAMERAS SHALL BE HIGH RESOLUTION COLOR CAPABLE OF 470 LINES OF HORIZONTAL RESOLUTION.</p> <p>3. CONTRACTOR SHALL UTILIZE THE LENS FOCAL LENGTH & TYPE THAT BEST</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 T-NUMBER :		BIDDER:	
TIME: 10:00 AM		PAGE 7	

MEETS SECRETARY OF STATE (SOS) REQUIREMENTS. THE FIXED FOCAL LENGTH LENSES SHALL BE 2.9MM, 6MM, 8MM, OR 12MM. ALL CAMERAS WITH FIXED FOCAL LENGTH LENSES SHALL UTILIZE 1/3 INCH CCD IMAGERS. THE VARIABLE FOCAL LENGTH LENSES SHALL BE AVAILABLE WITH 2.6MM - 5.6MM LENS WITH ON/OFF DIP SWITCH FOR AUTO IRIS CAPABILITY & UTILIZE A 1/4 INCH CCD IMAGER.

4. ALL CAMERAS, SHALL BE CAPABLE OF ELECTRONIC LIGHT CONTROL, COMMONLY REFERRED TO AS ELECTRONIC SHUTTER. ALL CAMERAS SHALL BE 2:1 INTERLACE AND CAPABLE OF AC LINE LOCK THAT IS ADJUSTABLE VIA POTENTIOMETER.

D. THE INDOOR/OUTDOOR INTEGRATED CCTV CAMERA AND SURFACEMOUNT "TRACK-LIGHT" STYLE ENCLOSURE SHALL BE PROVIDED WITH A MANUFACTURER WARRANTY COVERING REPAIR OR REPLACEMENT OF DEFECTIVE PARTS & SHALL BE A PELCO ICS300, OR EQUAL.

***INTERIOR CEILING MOUNT CAMERAS (FOUR (4) EACH) :

A. THE INDOOR/OUTDOOR INTEGRATED CCTV CAMERA AND ENCLOSURE SHALL CONSIST OF A TAMPER/IMPACT RESISTANT, IN-CEILING MOUNTABLE DOME ENCLOSURE WITH INTEGRATED FIXED CAMERA & LENS.

B. THE TAMPER/IMPACT RESISTANT DOME ENCLOSURE SHALL MEET OR EXCEED THE FOLLOWING DESIGN & PERFORMANCE SPECIFICATIONS:

1. EASY TO INSTALL WITH STANDARD TOOLS.
2. OVERALL HEIGHT SHALL NOT EXCEED 2.6 INCHES AND DIAMETER SHALL NOT EXCEED 5.5 INCHES.
3. THE ENCLOSURE BACKBOX SHALL NOT REQUIRE MORE THAN 1.75 INCHES OF SPACE INSIDE A WALL OR CEILING.
4. TAMPER RESISTANT, PIN-IN-HEX SCREWS AND TIGHTENING TOOL SHALL BE PROVIDED TO SECURE THE COVER ASSEMBLY TO THE ENCLOSURE BODY.
5. THE DOME SHALL CONSIST OF 3.75 INCH DIAMETER, .125 INCH THICK POLYCARBONATE HIGH SECURITY BUBBLE THAT HAS HIGH OPTICAL CLARITY AND NOMINAL DISTORTION AT ALL CAMERA ANGLES.
6. THE BUBBLE SHALL BE PUNCTURE-PROOF, CAPABLE OF WITHSTANDING POINTED IMPACT FORCES OF 35 FT. LBS. WITHOUT CREATING AN INTERNAL DEPRESSION GREATER THAN 0.2 INCHES & CAPABLE OF WITHSTANDING MULTIPLE BLUNT IMPACT FORCES UP TO 100 FOOT-POUNDS.
7. THE DOME SHALL BE AVAILABLE IN CLEAR OR SMOKED. THE SMOKED VERSION SHALL HAVE A MAX.LIGHT LOSS NOT GREATER THAN 1.5 F-STOPS
8. THE ENCLOSURE SHALL BE NEMA 4 AND IP66 RATED.
9. THE ENCLOSURE, WHEN LOADED WITH CAMERA & INTEGRATED LOW TEMP. RESISTOR ARRAY, SHALL BE CAPABLE OF OPERATION DOWN TO -50 DEGREES F. & CAPABLE OF DEICING THE VIEWING SURFACE OF THE ENCLOSURE DOWN TO -10 DEGREES F.

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:	PAGE 8
<div> <div></div> <div></div> </div> <ol style="list-style-type: none"> 10. THE ENCLOSURE SHALL BE PROVIDED WITH AN ADAPTER PLATE FOR MOUNTING TO A STD. 4S OR DOUBLE-GANG ELECTRICAL BOX OR WHICH CAN BE USED AS A BACKING FLANGE WHEN MOUNTING TO A DROP CEILING. 11. A CLEARLY LABELED PIGTAIL SHALL BE PROVIDED FOR CONNECTING 12 VDC OR 24 VAC POWER & A MALE PIGTAIL BNC CONNECTOR SHALL BE PROVIDED FOR CONNECTING VIDEO. 12. THE ENCLOSURE WHEN LOADED WITH CAMERA AND INTEGRATED LOW TEMP. RESISTOR ARRAY, AT TEMP. ABOVE 35 DEGREES F, SHALL CONSUME LESS THAN 2 WATTS OF POWER & AT TEMP. UNDER 35 DEGREES F, SHALL CONSUME NO MORE THAN 13 WATTS OF POWER. THE ENCLOSURE SHALL HAVE NO EXPOSED CABLES. <p>C. THE INTEGRATED CAMERA AND LENS ASSEMBLY SHALL CONSIST OF A CHARGE COUPLE DEVICE (CCD) CAMERA WITH FIXED FOCAL LENGTH OR VARI-FOCAL LENS THAT IS MOUNTED AS AN EASILY INSTALLABLE/REMOVABLE MODULE.</p> <ol style="list-style-type: none"> 1. THE CCD CAMERA SHALL CONSIST OF EITHER A 1/4 INCH OR 1/3 INCH FORMAT INTERLINE TRANSFER IMAGER MEETING NTSC (EIA) SPECS. 2. THE CAMERAS SHALL BE HIGH RESOLUTION COLOR CAPABLE OF 470 LINES OF HORIZONTAL RESOLUTION. 3. CONTRACTOR SHALL UTILIZE THE LENS FOCAL LENGTH & TYPE THAT BEST MEETS SECRETARY OF STATE (SOS) REQUIREMENTS. THE FIXED FOCAL LENGTH LENSES SHALL BE 2.9MM, 6MM, 8MM, OR 12MM. ALL CAMERAS WITH FIXED FOCAL LENGTH LENSES SHALL UTILIZE 1/3 INCH CCD IMAGERS. THE VARIABLE FOCAL LENGTH LENSES SHALL BE AVAILABLE WITH 2.6MM - 5.6MM LENS WITH ON/OFF DIP SWITCH FOR AUTO IRIS CAPABILITY & UTILIZE A 1/4 INCH CCD IMAGER. 4. ALL CAMERAS SHALL BE CAPABLE OF ELECTRONIC LIGHT CONTROL, COMMONLY REFERRED TO AS ELECTRONIC SHUTTER. 5. A JUMPER SHALL BE PROVIDED ON THE POWER SUPPLY BOARD FOR CONFIGURING TO EITHER 12 VDC OR 24 VAC POWER. ALL CAMERAS SHALL BE PROTECTED FROM INCORRECT PLACEMENT OF THE 12VDC/24VAC JUMPER. <p>D. THE CAMERA MODULE SHALL MEET OR EXCEED THE FOLLOWING DESIGN AND PERFORMANCE SPECIFICATIONS.</p> <ol style="list-style-type: none"> 1. THE CAMERA MODULE SHALL HAVE TWO SPRING STEEL, COMPRESSIBLE ARMS WHICH CREATE AN INTERFERENCE FIT THAT HOLDS THE MODULE IN PLACE. 2. DURING INSTALLATION AND CAMERA ADJUSTMENT, THE MODULE DESIGN SHALL ALLOW ADJUSTMENT OF THE CAMERA ON THREE AXES TO ALLOW MAXIMUM FLEXIBILITY DURING SCENE ADJUSTMENT. 3. THE THREE AXES SHALL BE PAN, TILT, AND ROTATION. 4. THE CAMERA & LENS, WHEN INSTALLED ON A CEILING OR HORIZONTAL SURFACE, SHALL BE CAPABLE OF 360 DEGREES OF PAN AND NO LESS THAN 70 DEGREES OF TILT. WHEN FIELD OF VIEW IS FACTORED, APPARENT TILT SHALL BE NO LESS THAN 90 DEGREES. 			

SPECIAL TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 10
	<p> LENGTH, BASED ON DOME MEMORY; AUTO-SENSE & RESPOND TO PROTOCOL UTILIZED FOR CONTROLLING UNIT WHETHER COAXITRON OR RS-422 P & D PROTOCOLS; ACCEPT COMPETITORS' CONTROL PROTOCOLS WITH THE USE OF OF OPTIONAL TRANSLATOR CARDS. </p> <p> MENU SYSTEM BUILT-IN FOR PROGRAMMING; AUTO FLIP ROTATES DOME 180 DEG AT BOTTOM OF TILT TRAVEL. </p> <p> PASSWORD PROTECTION OF PROGRAMMABLE SETTINGS; DIAGNOSTICS ON-SCREEN SYSTEM; USER-DEFINABLE LOCATIONS OF ALL LABELS AND DISPLAYS; USER-SELECTABLE TIME DURATION OF EACH DISPLAY. </p> <p> AZIMUTH/ELEVATION/ZOOM ON-SCREEN DISPLAY OF PAN & TILT LOCATIONS & ZOOM RATIOS; COMPASS HEADING DISPLAY ON-SCREEN, USER DEFINABLE; USER SELECTABLE NORMAL OR HIGH TO COMPENSATE FOR LONG VIDEO WIRE RUNS. </p> <p> POWER CONSUMPTION, MAX. 70 VA; WEIGHT NOT TO EXCEED 2.4 LB. </p> <p> D. HIGH RESOLUTION, COLOR CCD CAMERA SHALL MEET THE FOLLOWING: 1/4 INCH IMAGE SENSOR; SCANNING SYSTEM 2:1 INTERLACED OUTPUT; EFFECTIVE PIXELS NTSC 768 X 494; 470 TVL HORIZONTAL RESOLUTION; F1.4 (F=4-64MM OPTICAL, 16X OPTICAL ZOOM, 8X ELECTRONIC ZOOM); ZOOM SPEED 4.2 SECONDS; HORIZONTAL ANGLE OF VIEW 43 DEG. AT 4 MM WIDE ZOOM - 3 DEG. AT 64 MM TELEPHOTO ZOOM; AUTOMATIC FOCUS WITH MANUAL OVERRIDE; SENSITIVITY AT 35 IRE NTSC, COLOR: 0.05 LUX AT 1/2 SECOND SHUTTER SPEED; SYNCHRONIZATION SYSTEM INTERNAL / AC LINE LOCK PHAS ADJUSTABLE VIA REMOTE CONTROL, V-SYNC; AUTOMATIC WHITE BALANCE CONTROL WITH MANUAL OVERRIDE; AUTO. GAIN CONTROL/ OFF; VIDEO OUTPUT 0.714V +/- 0.07V (100 IRE +/- 10 IRE); VIDEO SIGNAL-TO-NOISE >46DB. </p> <p> E. PENDANT STANDARD - WITH CORNER MOUNT QUICK, POSITIVE MECHANICAL & ELECTRICAL DISCONNECT, WITHOUT THE USE OF ANY TOOLS; TRAP DOOR EASY ACCESS THAT ALLOWS COMPLETE ACCESS TO THE INSTALLATION WIRING AND, WHEN CLOSED, PROVIDES COMPLETE SEPARATION; OF THE WIRING FROM THE DOME DRIVE MECHANICS. </p> <p> REMOVABLE TERMINAL STRIPS WITH SCREW-TYPE TERMINALS; QUICK MOUNT WALL, CORNER, POLE, PARPET, OR CEILING ADAPTER; CABLE ENTRY THROUGH 1.5 INCH NPT FITTING; MAX. TEMP. RANGE OF 25 TO 113 F FOR 2 HOURS & CONTINUOUS OPERATING RANGE OF 25 TO 95 DEG. F. </p> <p> BAKED ON ENAMEL POWER COAT, GRAY; RATINGS MEET NEMA 4X, IP66; ALUMINUM CONSTRUCTION; DIMENSIONS PENDANT 10.76 INCHES OVERALL LENGTH (INCLUDING DOME) BY 9.03 INCH DIAMETER. WEIGHT: 3.5 LB. </p> <p> THE DISCREET DOME CCTV CAMERA DOME DRIVE SYSTEM SHALL BE THE PELCO SPECTRA III SERIES SD53TC-PG-E1 OR APPROVED EQUAL. WALL MOUNT TO BE IWM-GY, OR APPROVED EQUAL; CORNER MOUNT ADAPTER TO BE CM400, OR APPROVED EQUAL. </p> <p> ***DIGITAL RECORDER / BACK VIEWING STATION (1 EACH) </p> <p> A. THE DIGITAL VIDEO RECORDER SHALL PROVIDE HIGH QUALITY RECORDER CAPABLE OF STORAGE AND PLAYBACK OF IMAGES FROM 1 TO 16 CAMERA </p>	

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:	PAGE 11
<p> INPUTS AT A SIMULTANEOUS REFRESHING RECORDING RATE OF UP TO 60 FRAMES PER SECOND (NTSC) AND SHALL POSSES EXTERNAL WATCHDOG SYSTEM LOCK-UP, DUPLEX OPERATION, WINDOWS 2000 SOFTWARE, WATERMARKING OF EACH FRAME, EXTERNAL ALARM EVENTS, INTERNAL VIDEO MOTION DETECTION AND SCHEDULED EVENT RECORDING. THE DIGITAL RECORDER SHALL MEET THE FOLLOWING: </p> <ol style="list-style-type: none"> 1. ABLE TO RECORD IMAGES CONTINUOUSLY, UPON MOTION DETECTION, OR ACCORDING TO A TIME SCHEDULE. SHALL STORE IMAGES ONTO A HARD DRIVE OF AT LEAST 500 GB 2. PROCESSOR SHALL BE A MIN. OF PENTIUM III, 700 MKZ WITH 128 RAM. 3. MIN. OF WINDOWS 98 SOFTWARE. 4. RESOLUTION IN CIF FORMAT OF 352 X 240 PIXELS FOR NTSC & COMPRESSED IMAGE SIZE OF 320 X 240 PIXELS USING AVG. 6 KB MEMORY PER IMAGE. 5. DIGITAL RECORDER SHALL PROVIDE 16 VIDEO CAMERA INPUTS AT A REFRESHING RECORDING RATED OF UP TO 160 IMAGES PER SECOND (SIMPLES MODE), NTSC FORMAT. 6. SHALL FUNCTION AS RECORDER AND AS A FULL DUPLEX MULTIPLEXER PROVIDING VIDEO INPUTS FOR 16 CAMERAS & CONTROLLING PAN/TILT/ZOOM FUNCTIONS VIA RS-422 COMMUNICATIONS. 7. MULTIPLEXER SHALL HAVE VARIOUS VIEW/RECORDING CONFIGURATIONS OF FULL SCREEN, 4, 8, OR 16 CAMERAS. 8. THE RECORDER SHALL PROVIDE SIMULTANEOUS PLAYBACK VIEWING WHILE RECORDING LIVE IMAGES IN FULL-DUPLEX OPERATION. 9. RECORDER SHALL PROVIDE UP TO 24 INDIVIDUAL SCHEDULES FOR PROGRAMMING BY MOTION EVENT, ALARMING INPUT, OR CONTINUOUS RECORDING. 10. SHALL PROVIDE HARDWARE WATCHDOG SYSTEM THAT MONITORS CLOCK ON THE MOTHERBOARD OF THE CPU FOR LOCKUP OF THE SYSTEM. UPON LOCK-UP, THE RECORDER SHALL AUTOMATICALLY REBOOT. 11. RECORDER SHALL PROVIDE FOUR PASSWORD-PROTECTED USER LEVELS FOR SET-UP FUNCTIONS, OPERATIONS, AND SYSTEM EXITING. 12. RECORDER SHALL PROVIDE BUILT-IN MOTION DETECTION FOR EACH CAMERA & THE OPERATOR SHALL BE ABLE TO SELECT DETECTION AREA & SENSITIVITY OF EACH CAMERA. 13. RECORDER SHALL PROVIDE ALL CAMERAS WITH A HARD WIRED ALARM POINT THAT WHEN ACTIVATED WILL START UNIT RECORDING OR INCREASE RECORDING RATE. A PRE-ALARM RECORDING FUNCTION SHALL BE AVAILABLE TO RECORD IMAGES BEFORE ALARM SENSOR HAS BEEN ACTIVATED. AN ALARM HISTORY LOG SHALL BE PROVIDED. 14. RECORDER SHALL PROVIDE EIGHT DRY CONTACT ALARM OUTPUTS TO ACTIVATE EXTERNAL DEVICES. 15. RECORDER SHALL PROVIDE SCHEDULE TIME RECORDING GROUPS DURING A 24 HOUR PERIOD. WHILE IN THIS MODE, IF CAMERA DETECTS MOTION OR AN ALARM IS ACTIVATED, THE SYSTEM SHALL ACTIVATE & RECORD. 16. DIGITAL RECORDER SHALL PROVIDE 16 BNC INPUTS FOR VIDEO, TWO 9-PIN D-TYPE CONNECTORS FOR COM 1 & COM 2 PORTS, TWO 6-PIN MINI-PIN CONNECTORS FOR A PS/2 MOUSE & KEYBOARD, A 15-PIN D-TYPE PORT FOR A PRINTER CONNECTION / NETWORK CONNECTION. THE SYSTEM SHALL PROVIDE 8 PUSH-IN CONNECTORS FOR ALARM INPUTS AND 8 PUSH-IN CONNECTORS FOR CONTROL OUTPUTS. 17. RECORDER SHALL PROVIDE FULL REMOTE CONTROL OPERATION VIA TCP/IP PROTOCOL & RS-422 INTERFACING TO RECEIVERS FOR FULL CONTROL OF OF PAN/TILT/ZOOM FUNCTIONS. 18. PROVIDE A LAN/WAN CONNECTION. REQUIRED SOFTWARE OR HARDWARE 			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:	PAGE 12

SHALL BE PROVIDED FOR VIEWING / CONTROLLING OVER THE NETWORK.

19. THE PROCESSING UNIT SHALL HAVE ISO 9001, FCC, CE, UL, & CUL CERTIFICATIONS.

20. SHALL UTILIZE M-JPEG COMPRESSION TECHNOLOGY.

21. SHALL PROVIDE HIGH QUALITY VIDEO RECORDING OF AT LEAST VHS GRADE & PROVIDE MIN. OF 16 MILLION COLOR PALETTES & 256 SHADES OF GRAY

22. RECORDER SHALL PROVIDE WATCHDOG CAPABILITY AUTOMATICALLY STARTING AFTER ELECTRIC FAILURE OR OPERATIONAL ERROR WITHOUT HAVING TO CHANGE ANY SETTINGS & PROVIDE BACK-UP MANAGEMENT SYSTEM TO CREATE BACKUPS & COPIES TO EXTERNAL DEVICES WITHOUT INTERRUPTING HARD DISK RECORDING.

23. RECORDER SHALL PROVIDE INTERNAL 3.5 INCH FLOPPY DRIVE AND UP TO FOUR 120 GB HARD DISK DRIVES FOR EXTENDING THE RECORDING TIME.

24. SHALL PROVIDE THE NECESSARY SOFTWARE FOR IMAGE VERIFICATION OF EACH IMAGE RECORDED & PROVIDE ON-SCREEN PROGRAMMING & OPERATION THROUGH PC KEYBOARD OR MOUSE.

25. SHALL PROVIDE CAPABILITY OF BEING RACK MOUNTED IN AN EIA 19 INCH RACK OR PLACED ON SHELF OR DESKTOP.

26. OPERATING TEMP. RATE OF 41 DEG F TO 104 DEG F. & OPERATE IN RELATIVE HUMIDITY RATE OF MAX. 80% NON-CONDENSING.

27. DIGITAL RECORDER SHALL BE PELCO DX7016-120, OR APPROVED EQUAL.

***FRONT VIEWING STATION (1 EACH) :
 SHALL CONTAIN MIN. OF PENTIUM III 700 MHZ PROCESSOR; MIN. OF 128 RAM; SHALL HAVE ATI RAGE VGA VIDEO CARD, OR ANY VIDEO CARD UTILIZING THE SAVAGE PRO CHIP SET; SHALL COME WITH MOUSE & KEYBOARD; & SHALL BE EQUIPPED WITH NETWORK INTERFACE CARD CAPABLE OF SUPPORTING TCP/IP PROTOCOL.

***SVGA MONITORS (2 EACH)
 THIN FILM TRANSFER (TFT) LCD PANEL WITH OVERALL DEPTH OF LESS THAN 3 INCHES. HIGH RESOLUTION (540 TVL), 15" COLOR, 120 VAC, NTSC.

PELCO PMCL-15A LCD MONITOR, OR APPROVED EQUAL.

7 IF BIDDING OTHER THAN SPECIFIED, SUFFICIENT INFORMATION SHOULD BE ENCLOSED WITH THE BID IN ORDER TO DETERMINE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS.

FAILURE TO COMPLY WITH THIS REQUEST MAY ELIMINATE YOUR BID FROM CONSIDERATION.

8 LITERATURE AND/OR SPECIFICATIONS MUST BE SUBMITTED UPON REQUEST; IF REQUESTED, LITERATURE AND/OR SPECIFICATIONS MUST BE SUBMITTED WITHIN SEVEN (7) DAYS.

9 SCOPE OF CONTRACT

SUBMITTAL OF ANY TERMS AND CONDITIONS CONTRARY TO THOSE OF THE STATE OF LOUISIANA MAY CAUSE YOUR BID TO BE REJECTED. BY SIGNING BELOW, TERMS AND CONDITIONS WHICH MAY BE INCLUDED IN YOUR BID ARE NULLIFIED, AND CONTRACTOR AGREES THAT THIS CONTRACT SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2203989 OPEN DATE: 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:	PAGE 14
<div><div></div><div><p>VISITED THE JOB SITE AND IS FAMILIAR WITH ALL CONDITIONS SURROUNDING FULFILLMENT OF THE SPECIFICATIONS FOR THIS PROJECT.</p><div><div></div><div></div></div><div><div>VENDOR'S COMPANY NAME</div><div>STATE AGENCY'S NAME</div></div><div><div>VENDOR'S SIGNATURE</div><div>AGENCY'S SIGNATURE</div></div></div></div> <div><p>12 THE ABOVE QUANTITIES ARE ESTIMATED TO BE THE AMOUNT NEEDED. IN THE EVENT A GREATER OR LESSER QUANTITY IS NEEDED, THE RIGHT IS RESERVED BY THE STATE OF LOUISIANA TO INCREASE OR DECREASE THE AMOUNT, AT THE UNIT PRICE STATED IN THE BID.</p><p>13 AT THE OPTION OF THE STATE OF LOUISIANA AND ACCEPTANCE BY THE CONTRACTOR, THIS CONTRACT MAY BE EXTENDED FOR TWO ADDITIONAL TWELVE (12) MONTH PERIODS AT THE SAME PRICE, TERMS AND CONDITIONS. CONTRACT NOT TO EXCEED THIRTY-SIX (36) MONTHS.</p><p>14 ALL EQUIPMENT SHALL REMAIN THE PROPERTY OF THE VENDOR AND SHALL BE REMOVED FROM PREMISES UPON TERMINATION OF THIS CONTRACT AT VENDOR'S EXPENSE WITH THE EXCEPTION OF ANY WIRING AND/OR CABLE. ANY WIRING AND/OR CABLE WILL BECOME THE PROPERTY OF THE SECRETARY OF STATE'S OFFICE AND SHALL STAY WITH THE BUILDING IN THE EVENT CONTRACT IS REBID/AWARDED TO A NEW CONTRACTOR.</p><p>VENDOR WILL NOT BE RESPONSIBLE FOR THE REMOVAL OF ANY EQUIPMENT THAT HAS NOT BEEN INSTALLED BY VENDOR. ANY REMOVAL OF PREVIOUSLY INSTALLED EQUIPMENT SHALL BE THE RESPONSIBILITY OF THE VENDOR OWNING THE EQUIPMENT.</p></div>			

PRICE SHEET		INVITATION TO BID			
NUMBER : 2203989 OPEN DATE : 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:			PAGE 15
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00001	<p>UNLESS SPECIFIED ELSEWHERE SHIP TO: SECRETARY OF STATE PURCHASING DEPT 3851 ESSEN LANE BATON ROUGE , LA 70809</p> <p>COMMODITY CODE: 990-80-000000</p> <p>SECURITY SYSTEM FOR THE LOUISIANA STATE ARCHIVES BUILDING LOCATED AT 3851 ESSEN LANE, BATON ROUGE, LA 70809</p> <p>BEGINNING FEBRUARY 1, 2006 AND ENDING JUNE 30, 2006.</p> <p>EQUIPMENT IS TO BE LEASED AND SHALL NOT BECOME THE PROPERTY OF AGENCY WITH THE EXCEPTION OF ANY WIRING AND/OR CABLE. WIRING AND/OR CABLE WILL BECOME THE PROPERTY OF THE SECRETARY OF STATE'S OFFICE AND SHALL STAY WITH THE BUILDING IN THE EVENT CONTRACT IS REBID/AWARDED TO A NEW CONTRACTOR.</p> <p>VENDOR WILL FURNISH, INSTALL, MAINTAIN, REPAIR & MONITOR THE SECURITY SYSTEM. SERVICE TO INCLUDE ALL PARTS & LABOR ON ALL SCHEDULED VISITS TO SERVICE & MAKE REPAIRS TO THE EQUIPMENT. AGREEMENT INCLUDES ALL EMERGENCY VISITS.</p> <p>VENDOR TO PROVIDE SEPARATE OPENING & CLOSING REPORTS FOR EACH SECURITY SYSTEM ON A WEEKLY BASIS; INCLUDING ALL EMERGENCY ALARMS REPORTS.</p> <p>SYSTEM SHALL BE MONITORED SEVEN (7) DAYS A WEEK & TWENTY-FOUR (24) HOURS PER DAY.</p> <p>FURNISH & INSTALL SPECIFIED CCTV EQUIPMENT, INCLUDING ALL SYSTEM PROGRAMMING AND CABELING TO NETWORK. VENDOR TO FURNISH UP TO DATE QTY 2 COLOR MONITORS WITH 30 DAY RECORDED STORAGE/ SPECIFIED CCTV EQUIPMENT</p> <p>INCLUDES ALL MAINTENANCE AND REPAIR.</p>	5	MO		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2203989 OPEN DATE : 12/06/05 TIME: 10:00 AM T-NUMBER :		BIDDER:			PAGE 16
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	VENDOR TO INCLUDE ONE (4) HOUR TRAINING SESSION UPON COMPLETION OF SYSTEM. MONITOR, MAINTAIN & SERVICE EXISTING RADIONICS 8112 AND RADIONICS 6112 ALARM SYSTEM, ALL PERIPHERAL DEVICES INCLUDING TWO (2) SKYLIGHT CONTACTS, SEVENTEEN (17) DOOR CONTACTS, FOUR (4) GARAGE DOOR CONTACTS, ONE (1) SCUTTLE DOOR CONTACT, FOUR (4) SPECTRA III COLOR CAMERA DOME SYSTEM W/ PAN & TILT INTRUSION DETECTION SYSTEM, FIRE PROTECTION SYSTEM, THIRTEEN (13) MOTION DETECTORS. PROVIDE OPEN/CLOSE REPORTS & ALARM REPORTS ON A WEEKLY SCHEDULE. MONITOR BUILDING FIRE ALARM SYSTEM WITH RADIONICS 8112. ALL EQUIPMENT TO BE EQUAL TO OR BETTER THAN EXISTING EQUIPMENT. ALL EQUIPMENT SHALL BE COMPATABLE WITH ALL SPECIFIED EQUIPMENT SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00002	REQUISITION LINE CANCELLED				